

Requirements for Sanitary/Plumbing Permit as per Sec.302 BP1096 & RNPC

1. Filled Sanitary/Plumbing Application Form (including fixtures to be installed)
2. Photocopy of PTR/PRC of Design and In - Charge (Sanitary Engr. or Reg Master Plumber)
3. 5 sets of Plumbing/Sanitary Plans with Sign and Seal of SE/RMP

Sec.302.8 PD 1096 Sanitary Documents

For Deep Well, water purification plants, water collection and distribution systems; reservoirs, drainage and water systems, sewage/ water treatment plants, malari control structures and sewage disposal system;

- a. Location Plan and Site Plan
- b. Detailed Plan and Layout
- c. Design Analysis and Technical Specifications
- d. Cost Estimate

Sec.302.9 PD 1096 Plumbing Documents

For all plumbing installations, addition and or alteration involving hot or cold water supply, fixtures, sewage drainage and vent system, storm drainage and sewerage system within or adjacent within or adjacent to the building:

- a. Location Plan and Site Plan of Minimum scale 1:2000
- b. Plumbing Plans, Layouts and Details of minimum scale of 1:50
- c. Legend and General Notes
- d. Isometric drawings of the systems
- e. Design analysis and Technical specifications

Sec.1011 RNPC Provision of Grease trap and Grease Interceptor (commercial such as restaurants, etc.)

Note : Septic Tank shall be located at least 1.5m from the adjoining private property and complies to "Annex E " of RNPC